Pervious Pavers / Pavement

Property owners, Homeowners Associations, business owners, and residents responsible for maintenance of a surface sand filter must submit the following form annually by December 31 to the Engineering Department (one form per filter). Please fill out carefully and hit submit when completed. You may upload photos and files to this form. You cannot save this form and return to it. Please call us if you have questions.

Looking for a stormwater facility form for a facility type other than a pervious pavers / pavement?

GO TO OUR **STORMWATER BMP FORMS** MASTER PAGE TO SELECT FROM A LIST OF SYSTEM TYPES.

You must have JavaScript enabled to use this form.

Pervious Pavers / Pavement Report Form

FILL OUT ONE FORM PER INDIVIDUAL PAVER / PAVEMENT SYSTEM.

If you need help locating your block and lot, call Engineering at (908) 359-8211 ext. 2295 or go to our online mapping portal at: https://montgomery-twp.maps.arcgis.com/home/index.html, then choose the General Map and search by address or select your location on the map.

Development Name

P. Pavers / Pavement Location

P. Pavers/Pavement Block

P. Pavers/Pavement Lot

P. Pavers/Pavement Address (If Known, Optional)

Owner Information

Owner First Name

Owner Last Name

Owner Address

Owner Address

Owner Block?

Owner Lot

Owner Phone

Owner Email

☐ Check this box if Responsible Party Info is SAME as Owner Above

Responsible Maintenance Party Info

Responsible Entity's Name

Name of Developer, HOA, Property Management Company or Property Owner responsible to maintain this stormwater facility.

Contact Person Name

First

Last

address

Address

Party Phone Email

Email

Phone

Attachment Field

Upload photo(s) of this pervious pavers / pavement.

Choose a file Upload

Maximum 2 files.

128 MB limit.

Allowed types: gif, jpg, jpeg, png.

Upload Maintenance Report(s)

Choose a file Upload

Maximum 2 files.

128 MB limit.

Allowed types: txt, rtf, pdf, doc, docx, odt, ppt, pptx, odp, xls, xlsx, ods.

Stormwater Mgt. Measure Inspection Checklist

Inspection Checklist Instructions: Check off any conditions for the stormwater measure(s) you have. Any checkmarks require preventative and/or corrective maintenance. See forms on NJDEP website for suggested actions. This list represents general requirements.

Bottom of System

Drain time in approx. hours

More than 72 hours may need corrective action.

Outlet

- ☐ Trash or debris accumulation more than 20%
- ☐ Discharge pipe apron is eroded or scoured

Pervious Pavers or Pervious Pavement

- ☐ Cracking, subsidence, spalling, or other pavement damage
- ☐ Weeds or other vegetation on the pavement
- ☐ Loss of stone between paver joints (if applicable)

Form Prepared by

Print Name _____

Today's Date

Submit